

# **Computational Intelligence**

Winter Term 2013/14

Prof. Dr. Günter Rudolph

Lehrstuhl für Algorithm Engineering (LS 11)

Fakultät für Informatik

**TU Dortmund** 

- Approximate Reasoning
- Fuzzy Control



| Approximative Reasoning   | Lecture 08                          |
|---|-------------------------------------|
|   |                                     |
| So far:   |                                     |
| • p: IF X is A THEN Y is B  |                                     |
| $\rightarrow R(x, y) = Imp(A(x), B(y))$   | rule as relation; fuzzy implication |
| <ul> <li>rule: IF X is A THEN Y is B<br/>fact: X is A'<br/>conclusion: Y is B'</li> </ul> |                                     |
| $\rightarrow$ B'(y) = sup <sub>x \in X</sub> t( A'(x), R(x, y) )                          | composition rule of inference       |
|   |                                     |
| Thus:   | given : fuzzy rule                  |
| <ul> <li>B'(y) = sup<sub>x∈X</sub> t( A'(x), Imp( A(x), B(y) ) )</li> </ul>               | input : fuzzy set A'                |
|   | output : fuzzy set B'               |
|   |                                     |

here:1for 
$$x = x_0$$
crisp input!A'(x)= $\begin{cases} 1 & \text{for } x = x_0 \\ 0 & \text{otherwise} \end{cases}$ crisp input!

$$B'(y) = \sup_{x \in X} t(A'(x), Imp(A(x), B(y)))$$

$$= \begin{cases} \sup_{x \neq x_0} t(0, \operatorname{Imp}(A(x), B(y))) & \text{for } x \neq x_0 \end{cases}$$

t( 1, Imp( A(
$$x_0$$
), B( $y$ ) )) for  $x = x_0$ 

$$\begin{cases} 0 & \text{for } x \neq x_0 & \text{since } t(0, a) = 0 \\\\ \text{Imp}((A(x_0), B(y)) & \text{for } x = x_0 & \text{since } t(a, 1) = a \end{cases}$$

=

#### Lemma:

- a) t(a, 1) = a
- b)  $t(a, b) \le min \{ a, b \}$
- c) t(0, a) = 0

## Proof:

ad a) Identical to axiom 1 of t-norms.

ad b) From monotonicity (axiom 2) follows for b ≤ 1, that t(a, b) ≤ t(a, 1) = a.
Commutativity (axiom 3) and monotonicity lead in case of a ≤ 1 to t(a, b) = t(b, a) ≤ t(b, 1) = b. Thus, t(a, b) is less than or equal to a as well as b, which in turn implies t(a, b) ≤ min{ a, b }.

ad c) From b) follows  $0 \le t(0, a) \le min \{0, a\} = 0$  and therefore t(0, a) = 0.

by a)

#### **Multiple rules:**

IF X is  $A_1$ , THEN Y is  $B_1$ IF X is  $A_2$ , THEN Y is  $B_2$ IF X is  $A_3$ , THEN Y is  $B_3$ ... IF X is  $A_n$ , THEN Y is  $B_n$ X is A'

$$\rightarrow R_n(x, y) = Imp_n(A_n(x), B_n(y))$$

Y is B'

## Multiple rules for <u>crisp input</u>: x<sub>0</sub> is given

$$\begin{split} B_{1}`(y) &= Imp_{1}(A_{1}(x_{0}), B_{1}(y) ) \\ \dots \\ B_{n}`(y) &= Imp_{n}(A_{n}(x_{0}), B_{n}(y) ) \end{split}$$

aggregation of rules or local inferences necessary!

**aggregate!** 
$$\Rightarrow$$
 B'(y) = **aggr**{ B<sub>1</sub>'(y), ..., B<sub>n</sub>'(y) }, where **aggr** =  $\begin{cases} min \\ max \end{cases}$ 

. . .

#### FITA: "First inference, then aggregate!"

- 1. Each rule of the form IF X is  $A_k$  THEN Y is  $B_k$  must be transformed by an appropriate fuzzy implication  $Imp_k(\cdot, \cdot)$  to a relation  $R_k$ :  $R_k(x, y) = Imp_k(A_k(x), B_k(y)).$
- 2. Determine  $B_k'(y) = R_k(x, y) \circ A'(x)$  for all k = 1, ..., n (local inference).
- 3. Aggregate to  $B'(y) = \beta(B_1'(y), ..., B_n'(y))$ .

## FATI: "First aggregate, then inference!"

- 1. Each rule of the form IF X ist A<sub>k</sub> THEN Y ist B<sub>k</sub> must be transformed by an appropriate fuzzy implication  $Imp_k(\cdot, \cdot)$  to a relation R<sub>k</sub>: R<sub>k</sub>(x, y) = Imp<sub>k</sub>(A<sub>k</sub>(x), B<sub>k</sub>(y)).
- 2. Aggregate  $R_1, ..., R_n$  to a **superrelation** with aggregating function  $\alpha(\cdot)$ :  $R(x, y) = \alpha(R_1(x, y), ..., R_n(x, y)).$
- 3. Determine  $B'(y) = R(x, y) \circ A'(x)$  w.r.t. superrelation (inference).

- **1. Which principle is better? FITA or FATI?**
- 2. Equivalence of FITA and FATI ?

FITA:  $B'(y) = \beta(B_1'(y), ..., B_n'(y))$ =  $\beta(R_1(x, y) \circ A'(x), ..., R_n(x, y) \circ A'(x))$ 

FATI: 
$$B'(y) = R(x, y) \circ A'(x)$$
  
=  $\alpha(R_1(x, y), ..., R_n(x, y)) \circ A'(x)$ 

special case:  $A'(x) = \begin{cases} 1 & \text{for } x = x_0 \\ 0 & \text{otherwise} \end{cases}$ 

crisp input!

## On the equivalence of FITA and FATI:

FITA: 
$$B'(y) = \beta(B_1'(y), ..., B_n'(y))$$
  
=  $\beta(Imp_1(A_1(x_0), B_1(y)), ..., Imp_n(A_n(x_0), B_n(y)))$ 

FATI: 
$$B'(y) = R(x, y) \circ A'(x)$$
  
 $= \sup_{x \in X} t(A'(x), R(x, y))$  (from now: special case)  
 $= R(x_0, y)$   
 $= \alpha(Imp_1(A_1(x_0), B_1(y)), ..., Imp_n(A_n(x_0), B_n(y)))$ 

evidently: sup-t-composition with arbitrary t-norm and  $\alpha(\cdot) = \beta(\cdot)$ 

#### AND-connected premises

$$\begin{array}{l} \text{IF } X_1 = A_{11} \text{ AND } X_2 = A_{12} \text{ AND } \dots \text{ AND } X_m = A_{1m} \text{ THEN } Y = B_1 \\ \dots \\ \text{IF } X_n = A_{n1} \text{ AND } X_2 = A_{n2} \text{ AND } \dots \text{ AND } X_m = A_{nm} \text{ THEN } Y = B_n \\ \text{reduce to single premise for each rule } k: \\ A_k(x_1, \dots, x_m) = \min \left\{ A_{k1}(x_1), A_{k2}(x_2), \dots, A_{km}(x_m) \right\} & \text{or in general: t-norm} \end{array}$$

#### OR-connected premises

IF 
$$X_1 = A_{11}$$
 OR  $X_2 = A_{12}$  OR ... OR  $X_m = A_{1m}$  THEN  $Y = B_1$   
...  
IF  $X_n = A_{n1}$  OR  $X_2 = A_{n2}$  OR ... OR  $X_m = A_{nm}$  THEN  $Y = B_n$ 

reduce to single premise for each rule k:

 $A_{k}(x_{1},...,x_{m}) = max \{ A_{k1}(x_{1}), A_{k2}(x_{2}), ..., A_{km}(x_{m}) \}$  or in general: s-norm

#### important:

• if rules of the form IF X is A THEN Y is B interpreted as logical implication

 $\Rightarrow$  R(x, y) = Imp(A(x), B(y)) makes sense

- we obtain:  $B'(y) = \sup_{x \in X} t(A'(x), R(x, y))$
- $\Rightarrow$  the worse the match of premise A'(x), the larger is the fuzzy set B'(y)
- $\Rightarrow$  follows immediately from axiom 1: a  $\leq$  b implies Imp(a, z)  $\geq$  Imp(b, z)

## interpretation of output set B'(y):

- B'(y) is the set of values that are still possible
- each rule leads to an additional restriction of the values that are still possible
- $\Rightarrow$  resulting fuzzy sets B<sup>+</sup><sub>k</sub>(y) obtained from single rules must be mutually <u>intersected</u>!
- $\Rightarrow$  aggregation via  $B'(y) = min \{ B_1'(y), ..., B_n'(y) \}$

#### important:

if rules of the form IF X is A THEN Y is B are <u>not</u> interpreted as <u>logical</u> implications, then the function Fct(·) in

 $\mathsf{R}(\mathsf{x}, \mathsf{y}) = \mathsf{Fct}(\mathsf{A}(\mathsf{x}), \mathsf{B}(\mathsf{y}))$ 

can be chosen as required for desired interpretation.

- frequent choice (especially in fuzzy control):
  - R(x, y) = min { A(x), B(x) } Mamdami "implication"
  - $R(x, y) = A(x) \cdot B(x)$  Larsen "implication"
- $\Rightarrow$  of course, they are no implications but special t-norms!
- $\Rightarrow$  thus, if <u>relation R(x, y) is given</u>, then the *composition rule of inference*

 $B'(y) = A'(x) \circ R(x, y) = \sup_{x \in X} \min \{ A'(x), R(x, y) \}$ 

still can lead to a conclusion via fuzzy logic.

# **Approximative Reasoning**

#### **example:** [JM96, S. 244ff.]

industrial drill machine  $\rightarrow$  control of cooling supply

## modelling


linguistic variable


: rotation speed

linguistic terms

ground set







J technische universität dortmund

# **Approximative Reasoning**

#### **example:** (continued)

industrial drill machine  $\rightarrow$  control of cooling supply

## modelling

linguistic variable


: cooling quantity

linguistic terms

ground set

: very small, small, normal, much, very much

:  $\mathcal{Y}$  with  $0 \le y \le 18$  [liter / time unit]



U technische universität dortmund

**example:** (continued)

industrial drill machine  $\rightarrow$  control of cooling supply

rule base

IF rotation speed IS very low THEN cooling quantity IS very small

lowsmallmediumnormalhighmuchvery highvery much $\uparrow$  $\uparrow$ sets S<sub>vl</sub>, S<sub>l</sub>, S<sub>m</sub>, S<sub>h</sub>, S<sub>vh</sub>sets C<sub>vs</sub>, C<sub>s</sub>, C<sub>n</sub>, C<sub>m</sub>, C<sub>vm</sub>"rotation speed""cooling quantity"

 $S_{m}$ :  $C'_{n}(v) = Imp(\frac{3}{4}, C_{n}(v))$ 

#### **example:** (continued)

industrial drill machine  $\rightarrow$  control of cooling supply

- **1. input**: crisp value  $x_0 = 10000 \text{ min}^{-1}$  (<u>no</u> fuzzy set!)
  - $\rightarrow$  fuzzyfication = determine membership for each fuzzy set over  $\mathcal X$

 $\rightarrow$  yields S' = (0, 0, <sup>3</sup>/<sub>4</sub>, <sup>1</sup>/<sub>4</sub>, 0) via x  $\mapsto$  (S<sub>vl</sub>(x<sub>0</sub>), S<sub>l</sub>(x<sub>0</sub>), S<sub>m</sub>(x<sub>0</sub>), S<sub>h</sub>(x<sub>0</sub>), S<sub>vh</sub>(x<sub>0</sub>))

2. FITA: locale **inference**  $\Rightarrow$  since Imp(0,a) = 0 we only need to consider:

$$S_{h}: C'_{m}(y) = Imp(\frac{1}{4}, C_{m}(y))$$

$$aggregation: ?
C'(y) = aggr { C'_{n}(y), C'_{m}(y) } = max { Imp(\frac{3}{4}, C_{n}(y)), Imp(\frac{1}{4}, C_{m}(y)) }$$

3.

#### **example:** (continued)

industrial drill machine  $\rightarrow$  control of cooling supply

```
C'(y) = \max \{ Imp(\frac{3}{4}, C_n(y)), Imp(\frac{1}{4}, C_m(y)) \}
```

in case of <u>control task</u> typically no logic-based interpretation:

 $\rightarrow$  max-aggregation and

 $\rightarrow$  relation R(x,y) not interpreted as implication.

often: R(x,y) = min(a, b) "Mamdani controller"

## thus:

```
C'(y) = \max \{ \min \{ \frac{3}{4}, C_n(y) \}, \min \{ \frac{1}{4}, C_m(y) \} \}
```


# $\rightarrow$ graphical illustration

Lecture 08

#### **example:** (continued)

industrial drill machine  $\rightarrow$  control of cooling supply

 $C'(y) = \max \{ \min \{ \frac{3}{4}, C_n(y) \}, \min \{ \frac{1}{4}, C_m(y) \} \}, x_0 = 10000 \text{ [rpm]} \}$ 



U technische universität dortmund

## open and closed loop control:

affect the dynamical behavior of a system in a desired manner

# open loop control


control is aware of reference values and has a model of the system  $\Rightarrow$  control values can be adjusted,

such that process value of system is equal to reference value

problem: noise!  $\Rightarrow$  deviation from reference value not detected


# closed loop control

now: detection of deviations from reference value possible (by means of measurements / sensors) and new control values can take into account the amount of deviation open loop control



assumption: undisturbed operation  $\Rightarrow$  process value = reference value





control deviation = reference value - process value



## required:

model of system / process

- $\rightarrow$  as differential equations or difference equations (DEs)
- $\rightarrow$  well developed theory available

# so, why fuzzy control?

- there exists no process model in form of DEs etc. (operator/human being has realized control by hand)
- $\bullet$  process with high-dimensional nonlinearities  $\rightarrow$  no classic methods available
- control goals are vaguely formulated ("soft" changing gears in cars)

## fuzzy description of control behavior

```
IF X is A_1, THEN Y is B_1
IF X is A_2, THEN Y is B_2
IF X is A_3, THEN Y is B_3
...
IF X is A_n, THEN Y is B_n
X is A'
```

similar to approximative reasoning

Y is B'

but fact A' is not a fuzzy set but a crisp input

 $\rightarrow$  actually, it is the current process value

fuzzy controller executes inference step

```
\rightarrow yields fuzzy output set B'(y)
```

but crisp control value required for the process / system

 $\rightarrow$  defuzzification (= "condense" fuzzy set to crisp value)

# defuzzification

**Def**: rule k active  $\Leftrightarrow A_k(x_0) > 0$ 


#### <u>maximum method</u>

- only active rule with largest activation level is taken into account

 $\rightarrow$  suitable for pattern recognition / classification

 $\rightarrow$  decision for a single alternative among finitely many alternatives

- selection independent from activation level of rule (0.05 vs. 0.95)
- if used for control: incontinuous curve of output values (leaps)



# defuzzification

technische universität


dortmund

 $Y^* = \{ y \in Y: B'(y) = hgt(B') \}$ 

- maximum mean value method
  - all active rules with largest activation level are taken into account
    - $\rightarrow$  interpolations possible, but need not be useful

 $\rightarrow$  obviously, only useful for neighboring rules with max. activation

- selection independent from activation level of rule (0.05 vs. 0.95)
- if used in control: incontinuous curve of output values (leaps)



# defuzzification


 $Y^* = \{ y \in Y : B'(y) = hqt(B') \}$ 

26

- center-of-maxima method (COM)
  - only **extreme** active rules with largest activation level are taken into account
    - $\rightarrow$  interpolations possible, but need not be useful

 $\rightarrow$  obviously, only useful for neighboring rules with max. activation level

- selection independent from activation level of rule (0.05 vs. 0.95)
- in case of control: incontinuous curve of output values (leaps)



# defuzzification


- Center of Gravity (COG)
  - all active rules are taken into account
    - $\rightarrow$  but numerically expensive ... ...only valid for HW solution, today!

 $\rightarrow$  borders cannot appear in output (  $\exists$  work-around )

- if only single active rule: independent from activation level


- continuous curve for output values


$$\widetilde{y} = \frac{\int y \cdot B'(y) \, dy}{\int B'(y) \, dy}$$



triangle:

trapezoid:





assumption: fuzzy membership functions piecewise linear

output set B'(y) represented by sequence of points  $(y_1, z_1), (y_2, z_2), ..., (y_n, z_n)$   $\Rightarrow$  area under B'(y) and weighted area can be determined additively piece by piece  $\Rightarrow$  linear equation  $z = m y + b \Rightarrow$  insert  $(y_i, z_i)$  and  $(y_{i+1}, z_{i+1})$  $\Rightarrow$  yields m and b for each of the n-1 linear sections

$$\Rightarrow F_{i} = \int_{y_{i}}^{y_{i+1}} (m \, y+b) \, dy = \frac{m}{2} (y_{i+1}^{2} - y_{i}^{2}) + b(y_{i+1} - y_{i}) \\\Rightarrow G_{i} = \int_{y_{i}}^{y_{i+1}} y \, (m \, y+b) \, dy = \frac{m}{3} (y_{i+1}^{3} - y_{i}^{3}) + \frac{b}{2} (y_{i+1}^{2} - y_{i}^{2}) \\ \end{cases} \qquad \check{y} = \frac{\sum_{i} G_{i}}{\sum_{i} F_{i}}$$



# Defuzzification

- Center of Area (COA)
  - developed as an approximation of COG
  - let  $\hat{y}_k$  be the COGs of the output sets B'\_k(y):

$$\tilde{y} = \frac{\sum_k A_k(x_0) \cdot \hat{y}_k}{\sum_k A_k(x_0)}$$